Safety Data Sheet **ECON-TP-FT02** 4/17/15

Section 1 - Product and Company Identification

Material Name EnerSeal Tape - Nano Seal Technology

Chemical Category Article

Product Code ECON-TP-FT02

Product Use - Metal Roof Flashing Product Distributor **ENERCON Specialists LLC** Suite 164, 3853 Northdale Blvd

Tampa, Florida 33624, USA

Telephone

Technical +1 786 726 0788 **Emergency** +1 786 726 0788

Last Revision Date - 22/10/2023

Section 2 - Hazards Identification

Signal Word - None

GHS Hazards and Precautions

The mixture does not meet the criteria for classification.

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Storage/Disposal Store away from incompatible materials. Dispose of waste and residues in accordance with local

authority requirements.

GHS Hazard Symbol - Not Required

Physical Form Solid Tape Color Multiple Not Identified Odor **Flash Point** 428°F(220°C) OSHA(HCS2012) Not classified. **WHMIS** Not classified. **GHS** Not classified.

Route Of Entry Inhalation, Skin, Eye, Ingestion/Oral

Medical Conditions Aggravated by Not Classified

Exposure

Potential Health Effects

Inhalation

Acute (Immediate) - Expected to be a low ingestion hazard.

- Not Classified Chronic (Delayed)

Skin

Acute (Immediate) - No adverse effects due to skin contact are expected. Chronic (Delayed)

This product is not expected to cause skin sensitization.

Acute (Immediate) - Direct contact with eyes may cause temporary irritation. **Chronic (Delayed)**

Ingestion

Acute (Immediate) Chronic (Delayed) Carcinogenic Effects Not Classified

Not Classified No data available

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Section 3 - Composition/Information on Ingredients						
	Components					
Chemical Name	CAS	%(wt)	UN;EINECS	LD50/LC50	Classifications According to Regulation/Directive	Other
Talc (Powder)	14807- 96-6	10- <20%				NDA
Other components below reportable levels	1332- 58-7	10- <90%				NDA

This product is an encapsulated mixture which reduces the likelihood of exposure particulates.

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin Eye

Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Other Information

Direct contact with eyes may cause temporary irritation. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

See Section 2 for Potential Health Effects.

Section 5 - Fire Fighting Measures

Extinguishing Media

Unsuitable Extinguishing

Media

Firefighting Procedures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unusual Fire and Explosion Hazards

Hazardous Combustion Products

Protection of Firefighters

Do not use water jet as an extinguisher, as this will spread the fire.

Use water spray to cool unopened containers. Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Flash Point

Section 6 - Accidental Release Measures

Personal Precautions

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Emergency Procedures

Keep unnecessary personnel away.

Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

Containment/Clean-up

Measures

Prohibited Materials - None listed

Frombited Waterials - None liste

Section 7 - Handling and Storage

Handling Storage

- Avoid prolonged exposure. Observe good industrial hygiene practices.

- Store in original tightly closed container. Store away from incompatible materials

(see Section 10 of the SDS).

No Information Available

Incompatible Materials or

Ignition Sources

No Listing

Section 8 - Exposure Controls/Personal Protection

Personal Protective Equipment

Pictograms

00

Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face

Wear safety glasses with side shields (or goggles).

Hands

Wear appropriate chemical resistant gloves.

Skin/Body

- Wear suitable protective clothing.

General Industrial Hygiene

Considerations

- Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Engineering Measures/Controls

Good general ventilation (typically 10 air changes per hour) should be used.
 Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not

been established, maintain airborne levels to an acceptable level. Refer to listed exposure limits in state information of this section.

Exposure Limits/Guidelines

Exposure Limits/Guidelines							
	Result	ACGIH	NIOSH OSHA				
Talc (powder) CAS-14807-96-6	TWAs	2 mg/m3 TWA (respirable fraction)	2 mg/m3 TWA (respirable fraction)	0.3 mg/m3 Total Dust 0.1 mg/m3 Respirable 20 mppcf 2.4 mppcf Respirable			

Section 9 - Physical and Chemical Properties

Physical Form - Solid Rolls or Sheets

Appearance/Description - Various film colors, gray adhesive

Color: Various film colors, gray a	adhesive	Odor: Slight	Odor: Slight		
Taste: No data available.		Odor Threshold: NDA	Odor Threshold: NDA		
Boiling Point: NDA		Vapor Pressure:	NDA		
Melting Point:	NDA	Vapor Density:	NDA		
Specific Gravity/Relative	1.04 estimated	Evaporation Rate:	NDA		
Density:					
Auto-Ignition Temperature	>842 F (>450 C)	VOC (Wt.):	NDA		
Bulk Density:	NDA	VOC (Vol.):	NDA		

Solvent Solubility:	NDA	Flash Point:	428°F(220°C)
Viscosity:	NDA	Flash Point Test Type:	NDA

Section 10 - Stability and Reactivity

Stability

Material is stable under normal conditions.

Hazardous Polymerization

Hazardous polymerization not indicated.

Conditions to Avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition

No hazardous decomposition products are known.

Products

Section 11 - Toxicological Information

Component Name Concentration Talc (powder) 10-<20%		Concentration	CAS	Data	
		10-<20%	14807-96-6		
IARC Monographs. Overall Evaluation of Carcinogenicity Other Information			3 Not classifial	rcinogenic to humans. ble as to carcinogenicity to humans. ed skin contact may cause temporary irritation.	

Reproductive toxicity

(Talc) Prolonged skin contact may cause temporary irritation.

Specific target organ toxicity -

This product is not expected to cause reproductive or developmental effects.

Not classified.

single exposure Specific target organ toxicity -

Not classified.

repeated exposure Aspiration hazard

Chronic effects

Not available.

Prolonged inhalation may be harmful.

Section 12 - Ecological Information

Ecological Fate

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence/Degradability **Bioaccumulation Potential Mobility in Soil**

No data is available on the degradability of this product.

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13 - Disposal Considerations

Product

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transportation Information

DOT - United States - Department of Transportation:

Shipping Name: Not Regulated as Dangerous Goods

IATA - International Air Transport Association:

Shipping Name: Not Regulated as Dangerous Goods

IMO/IMDG –International Maritime Transport:

Shipping Name: Not Regulated as Dangerous Goods

Section 15 - Regulatory Information

SARA Hazard Classifications

Risk & Safety Phrases

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

SARA 304 Emergency release notification

OSHA Specifically Regulated Substances (29 CFR

1910.1001-1050)

SARA 302 Extremely hazardous substance

SARA 311/312 Hazardous SARA 313 (TRI reporting)

Clean Air Act (CAA) Section 112 Hazardous Air

Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental

Release Prevention (40 CFR 68.130)

Safe Drinking Water Act

US. California Proposition 65

Not Classified

All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Not regulated.

Not regulated.

Not regulated.

Not regulated.

- Not listed.

- No

- Not regulated.

- Not regulated.

Not regulated.

Not regulated.

Titanium Dioxide is listed due to its respirable nature in powder form. As supplied and applied the titanium dioxide is bound within the product matrix and is not expected to be in a respirable form. WARNING: This product contains a chemical known to the State of

California to cause cancer.

State Right To Know					
Component	CAS	MA	MN	NJ	PA
Talc (powder)	14807-96-6	Yes	N/A	Yes	Yes

Section 16 - Other Information

Last Revision Date

Prepared By

Disclaimer/Statement of Liability

- 22/10/2023

ECON.

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to verify the suitability and completeness of such information for particular use. ENERCON does not accept liability for any loss Or damage that may occur from the use of this information.